

## Physiotherapy Equipments

### ▶ Treatment Equipments

We have quality products in Treatment Equipments. All our models are efficient and display quality in Physiotherapy Equipments.



#### **IMI - 3111: EXAMINATION COUCH** (Wooden)



Foam rubber padded top, size 72" x 24", upholstered with rexine & had adjustable back rest of 18" length which can be adjusted in height for desired position. Two drawers and one writing board is provided underneath the top.

Top is mounted on sturdily built well polished hardwood legs. Total height 31".

[\[Request Quotation / More info...\]](#) ▲

---

#### **IMI - 3115: HIGH-LOW TREATMENT TABLE** (Electrical)



Electric, variable height, three section table is suitable for all treatments, including manipulation. Both ends elevate so that the back or legs can be raised without turning the patient. One end also lower -20 deg. for some postural drainage & manipulation techniques and more comfortable sitting.



The foam padded top is 195 cm long and 70 cm wide. Table height is adjustable from 50 cm to 90 cm. Frame-work in light blue oven baked finished.

[\[Request Quotation / More info...\]](#) ▲

---

#### **IMI - 3118: HI-LOW MAT PLATFORM** (Floor)

No picture available

This HI-LOW Mat-Platform is ideal for range of motion, transfer, strength building and other active therapies. Platform with height adjustment and adjustable backrest makes delivering therapy easier on the therapist.

[\[Request Quotation / More info...\]](#) 

#### **SPECIFICATIONS:**

- \*Frame-Work: Square tube constructed, with wide base and finished oven baked enamel.
- \*Height Adjustment: Electrically Adjustable with a Hand switch from 51cm to 95cm.
- \*Mat Platform: Foam padded, with adjustable Back-rest, Size 120cm x 210cm.
- \*Motor System: Imported with vibration free movement. Weight capacity 120 kgs.
- \*Power: 220 V AC.

---

#### **IMI - 3120: TILT TABLE** (Manual)



Manually operated Tilt Table comes with Three wide straps to hold the patient. Works to standing position manually with worm gear arrangement. Range of tilt is calibrated from 0-90 deg.

The upholstered table top is 61cm wide x 195cm long x 80cm high and is fitted on heavy duty 35mm square steel tube legs. Mounted on four lockable 10cm dia. wheels for mobility. Table comes complete with an Utility Tray & Two Gripping Handles for A.D.L. activities.

Frame beautifully finished in oven baked light blue shade.

[\[Request Quotation / More info...\]](#) 

---

#### **IMI - 3121: TILT TABLE** (Electric operated)



Electrically operated Tilt Table with foam padded top, provided with three straps to hold the patient. Heavy duty motor provides silent and smooth lifting action with push button control switches. Range of tilt is calibrated from 0 - 90 degrees.

The table top is 61cm wide x 195cm long x 80cm high, and is fitted on a heavy duty tubular steel frame with four locking wheels of 10 cm dia. for easy mobility. Table comes complete with an Utility Tray and gripping handle for ADL activity. Full 90 degree of tilt plus negative facility also Steel frame oven baked finish.

Works on 220 V AC.

[\[Request Quotation / More info...\]](#)

---

### **IMI - 3125: ACTIVITY MATTRESS**



All purpose lightweight mat of high density foam, protects body during exercises. The floor mat size 120cm x 190cm x 10cm is covered with nylon cloth & sewn with superior strength nylon thread. Loops on sides are provided for hanging on wall.

Excellent for aerobics and light exercises.

[\[Request Quotation / More info...\]](#)

---

### **IMI - 3141: VARUN CONTINUOUS PASSIVE MOTION UNIT** (L/E)



The CPM is designed for lower extremities (Knee & Hip), to stimulate the healing of cartilage in addition to the reduction of post operative

swelling and pain. The solid state circuitry control panel with highly visual LED Digital readouts allows Flexing and Extending a joint through a pre-fixed range of motion and time.

Proper fit of Calf and Thigh lengths are easily achieved. The necessary limb support provides a comfortable surface for prolonged contact and are washable in cold water. The light weight unit is constructed of Aluminium Sheet and is fitted with carrying Handle and Bed fixing clamps.

[\[Request Quotation / More info...\]](#) 

#### **SPECIFICATIONS:**

\*Flexion Angle: Digital display of Flexion & Extension Angles. 0 to 108 deg.

\*Timer: Digital Timer upto 99 minutes.

\*Angle Adjustment: Two Inching knobs to adjust starting angle.

\*Speed: Fixed single speed.

\*Right or Left Leg can be exercised by little adjustments.

\*Patient Safety: Patient safety switch provided.

---

#### **IMI - 3142: PANKAJ CONTINUOUS PASSIVE MOTION UNIT** (U/E)



The PANKAJ CPM is designed for upper extremities (Elbow ), to stimulate the healing of cartilage in addition to the reduction of post operative swelling & pain. The solid state circuitry control panel with highly visual LED digital readouts, allows the Flexing & Extending an Elbow joint through a pre-fixed range of Motion & Time. Wrist rotation and Wrist roll movement can also be achieved. Unit is fitted on mobile Electrical Jack to adjust height according to patient's requirement. The necessary limb supports provide a comfortable surface for prolonged contact. Comes with necessary accessories for Supination & Pronation, Wrist Roll and Elbow passive motions.

[\[Request Quotation / More info...\]](#) 

#### **SPECIFICATIONS:**

-Flexion Angles: Adjustable from 0 - 160 degree & displayed by Bargraph.

-Inching: Flexion or Extension Starting position can be set by switches.

-Timer: Digitally displayed, 0 - 99 minuts.

-Height Adjustment: Electrically, by Push button switches.

-Right or Left arm can be exercised by little adjustments.

-Safety: Patient hand held safety switch.